

Name: _____

AP Chemistry Summer Readiness Review

CHAPTER 1

1. List two units used to measure each of the following:
 - a. Mass _____
 - b. Volume _____
 - c. Density _____
 - d. Temperature _____
 - e. Pressure _____
 - f. Length _____
 - g. Velocity _____

2. A student performed an analysis of a sample for its calcium content and got the following results: 14.92%, 14.91%, 14.88%, and 14.91% The actual amount of calcium in the sample is 15.70%. What conclusion can you draw about the accuracy and precision of these results?

3. Calculate the percent error for the following measurements.
 - a. The density of an aluminum block determined in an experiment was 2.64 g/cm³. (Accepted value = 2.70 g/cm³)

 - b. The experimental determination of iron in ore was 16.48%. (Accepted value was 16.12%)

Name: _____

4. How many significant figures are in each of the following?

- a. 12 _____
- b. 1098 _____
- c. 2001 _____
- d. 2.001×10^3 _____
- e. 10 apples _____
- f. 0.0000101 _____
- g. 1000. _____
- h. 22.04030 _____
- i. 1.00×10^3 _____
- j. 25,000 _____

5. Round each of the following numbers to three significant figures, and write the answers in scientific notation.

- a. 0.00031254 _____
- b. 31,154,000 _____
- c. 299.6 _____

6. Use scientific notation to express the number 480 to

- a. One significant figure _____
- b. Two significant figures _____
- c. Three significant figures _____

7. Perform the following mathematical operations, and express each result to the correct number of significant figures.

Name: _____

- a. $97.381 + 4.2502 + 0.99195$ _____
- b. $171.5 + 72.915 - 8.23$ _____
- c. $0.102 \times 0.0821 \times 273.5 / 1.2$ _____
- d. $(9.04 - 8.23 + 21.954 + 81.0) / 3.1416$ _____
8. Precious metals and gems are measured in troy weights in the English system: 24 grains = 1 pennyweight (EXACT)
20 pennyweights = 1 troy ounce (EXACT)
12 troy ounces = 1 troy pound (EXACT)
1 grain = 0.0648 gram (EXACT)
1 carat = 0.200 gram (EXACT)
- a. Diamonds are measured in carats. If a lucky girl receives a 5 carat diamond how many pennyweights is it?
9. The world record for the hundred meter dash is 9.79 s.
- a. What is the corresponding speed in units of m/s, $\mu\text{m/ns}$, km/hr, ft/s, and mi/hr?
- b. At this speed how long would it take to run a mile (5,820 ft)?
10. Your parents planning to buy a new car. The Lexus 470 GX that your father is considering gets 22 miles per gallon of gasoline in highway travel. The GLK 350 that your mother likes gets 14 kilometers to the liter. Which car has the better gas mileage? (1 gal = 4 qt.; 1.057 qt = 1 L)

Name: _____

11. You pass a road sign saying "New York – 112 km." If you drive at a constant speed of 65 mi/hr., how long should it take you to reach New York?

12. You have a 1.0 cm³ sample of lead and a 1.0 cm³ sample of glass. You drop each in separate beakers of water. How do the volumes of water displaced by each sample compare? Explain. Density of lead = 11.35 g/cm³ Density of glass = 3.00 g/cm³

13. The average daytime temperature on the Earth and Jupiter are 72 °F and 313 K, respectively. Calculate the difference in temperature between these two planets in °C.

14. Convert the following Celsius temperatures to Kelvin and to Fahrenheit degrees.

a. The boiling-point temperature of ethyl alcohol, 78.1°C

b. A cold winter day, -25°C

c. The lowest possible temperature, -273°C

Name: _____

- d. The melting-point temperature of sodium chloride, 801°C
15. At what temperature is the temperature in degrees Fahrenheit equal to twice the temperature in degrees Celsius?
16. The density of diamond is 3.51 g/cm^3 . What is the volume of a 4.5 carat diamond? 1 carat = 0.200 g
17. The volume of a diamond is found to be 2.8 mL. What is the mass of the diamond in carats? (See question #16)
18. A sample containing 33.42 g of metal pellets is poured into a graduated cylinder initially containing 12.7 mL of water, causing the water level in the cylinder to rise to 21.6 mL. Calculate the density of the metal.
19. Two spherical objects have the same mass. One floats on water; the other sinks. Which object has the greater diameter? Explain your answer.

Name: _____

20. What are some of the differences between a solid, a liquid, and a gas?

21. What is the difference between homogeneous and heterogeneous matter?

22. Classify each of the following as homogeneous or heterogeneous mixtures.

- a. soil _____
- b. the atmosphere _____
- c. a carbonated soft drink _____
- d. gasoline _____
- e. Koolaid _____
- f. ethanol and water _____

Name: _____

23. Classify each of the following as a mixture or a pure substance. Of the pure substances, which are elements and which are compounds?

a. Water _____

b. Blood _____

c. The oceans _____

d. Iron _____

e. Brass _____

f. Uranium _____

g. Wine _____

h. Leather _____

i. Table salt (NaCl) _____

24. Distinguish between physical and chemical changes.

25. List four indications that a chemical change (reaction) has occurred.

Name: _____

26. If you place a glass rod over a burning candle, the glass appears to turn black. What is happening to each of the following (physical change, chemical change, both, or neither) as the candle burns? Explain each answer

a. the wax

b. the wick

c. the glass rod

27. The properties of a mixture are typically averages of the properties of its components. The properties of a compound may differ dramatically from the properties of the elements that combine to produce the compound. For each process described below, state whether the material being discussed is most likely a mixture or a compound, and state whether the process is a chemical change or a physical change.

a. An orange liquid is distilled, resulting in the collection of a yellow liquid and a red solid.

Name: _____

- b. A colorless, crystalline solid is decomposed, yielding a pale yellow-green gas and a soft, shiny metal.

- c. A cup of tea becomes sweeter as sugar is added to it.

CHAPTER 2

1. Describe Dalton's atomic theory.

2. What discoveries were made by J.J. Thomson, Henri Becquerel, and Lord Rutherford? How did Dalton's model of the atom have to be modified to account for these discoveries?



Name: _____

3. What is the distinction between atomic number and mass number?

4. What is the difference between atomic mass and average atomic mass?

5. What is an isotope?

6. How many protons and neutrons are contained in the nucleus of each of the following atoms?



Name: _____

7. Write the isotopic symbol for each of the isotopes below.
- Atomic number = 8, number of neutrons = 9
 - The isotope of chlorine in which mass = 37
 - Atomic number = 27, mass = 60
 - Number of protons = 26, number of neutrons = 31
 - The isotope of I with a mass number of 131
 - Atomic number = 3, number of neutrons = 4
8. An element consists of 1.40% of an isotope with mass 203.973 amu, 24.10% of an isotope with mass 205.9745 amu, 22.10% of an isotope with mass 206.9759 amu, and 52.40% of an isotope with mass 207.9766 amu. Calculate the average atomic mass and identify the element.
9. The element silver has two naturally occurring isotopes, ^{109}Ag and ^{107}Ag with a mass of 106.905 amu. Silver consists of 51.82% ^{107}Ag and has an average atomic mass of 107.868 amu. Calculate the mass of ^{109}Ag .
10. Distinguish between the terms *family* and *period* in connection to the periodic table. For which of these terms is the term *group* also used?

Name: _____

11. In the periodic table, what is the name of the following groups:
a) Group 2 b) Group 18 c) Groups 11-17 (above staircase)
12. For each of the following sets of elements, label each as either Noble Gas, Halogen, Alkali Metal, Alkaline Earth Metal, Nonmetal or Transition Metal:
a. Ti, Fe, Ag b. Mg, Sr, Ba c. Li, K, Rb
d. Ne, Kr, Xe e. F, Br, I f. S, P, Se
13. An ion contains 50 protons, 68 neutrons, and 48 electrons. What is its symbol and charge? _____
14. Which of the following sets of elements are all in the same group in the periodic table?
a. N, P, O b. C, Si, Ge c. Rb, Sn, I d. Mg, Ca, Rn
15. Identify each of the following elements:
- a. A member of the same family as oxygen whose most stable ion contains 54 electrons
- b. A member of the alkali metal family whose most stable ion contains 36 electrons
- c. A noble gas with 18 protons in the nucleus
- d. A halogen with 85 protons and 85 electrons
16. Would you expect each of the following atoms to gain or lose electrons when forming ions? What ion is the most likely in each case?
- a. Na b. Sr c. P d. Ba e. Al
f. I g. S h. O i. Zn j. Cu
16. For each of the following ions, indicate the total number of protons and electrons in the ion. For the positive ions, predict the formula of the simplest compound formed between itself and oxide. For the negative ions predict the simplest compound formed between itself and aluminum.
- a. Fe^{+2} b. Fe^{+3} c. Ba^{+2} d. Cs^{+1}

Name: _____

e. Br^{-1}

f. S^{-2}

g. N^{-3}

h. P^{-3}

17. An element's most stable ion forms an ionic compound with bromine, having the formula XBr_2 . If the ion of element X has a mass number of 230 and 86 electrons, what is the identity of the element, and how many neutrons does it have?

Writing Formulas and Naming Compounds –

Do WITHOUT an ion chart! You need to have these memorized.

1. Name each of the following compounds:

a. NaCl

b. Rb_2O

c. FeBr_3

d. Cr_2O_3

e. CaBr_2

f. CsF

g. CaS

h. NI_3

i. PCl_3

j. SO_2

k. HCl

l. H_3PO_4

m. HIO_3

n. HgO

o. CuI

p. CuI_2

q. CoI_2

r. Na_2CO_3

s. NaHCO_3

t. $\text{HC}_2\text{H}_3\text{O}_2$

u. NH_4NO_2

v. Co_2S_3

w. AlI_3

x. Al_2O_3

y. ZnCl_2

z. Li_3N

aa. Ag_2S

ab. KClO_4

ac. $\text{Al}_2(\text{SO}_4)_3$

ad. ICl_3

ae. SF_2

af. N_2F_4

ag. ICl

ah. $\text{Pb}_3(\text{PO}_4)_2$

ai. KIO_3

aj. $\text{Ca}(\text{OH})_2$

ak. CoS

al. S_3N_4

am. SF_6

an. NaClO

ao. BaCrO_4

ap. HNO_2

Name: _____

aq. HI	ar. H ₂ SO ₃	as. BaSO ₃
at. KMnO ₄	au. Sr ₃ P ₂	av. Ca ₃ (PO ₄) ₂
aw. Pb(NO ₃) ₂	ax. NaNO ₂	ay. K ₂ Cr ₂ O ₇
az. P ₂ S ₅	ba. N ₂ O ₄	bb. NH ₄ NO ₃
bc. H ₂ SO ₄	bd. Sr ₃ N ₂	be. Al ₂ (SO ₃) ₃
bf. SnO ₂	bg. Na ₂ CrO ₄	bh. HClO

2. Write the chemical formula for the following compounds:

- a. Cesium bromide _____
- b. Barium sulfate _____
- c. Chlorine trifluoride _____
- d. Ammonium chloride _____
- e. Beryllium oxide _____
- f. Chlorine monoxide _____
- g. Magnesium fluoride _____
- h. Sulfur difluoride _____
- i. Sulfur hexafluoride _____
- j. Sodium dihydrogen phosphate _____
- k. sodium oxide _____
- l. Silicon tetrachloride _____
- m. Lithium nitride _____
- n. Chromium (III) carbonate _____
- o. Tin (II) fluoride _____
- p. Ammonium acetate _____
- q. Ammonium hydrogen sulfate _____
- r. Cobalt (III) nitrate _____
- s. Copper (I) sulfide _____

Name: _____

- t. Potassium chlorate _____
- u. Lithium tartrate _____
- v. Zinc sulfide _____
- w. Ammonium hydrogen phosphate _____
- x. Hydrobromic acid _____
- y. Bromous acid _____
- z. Perchloric acid _____
- aa. Silicon dioxide _____
- bb. Sodium sulfate _____
- cc. Aluminum hydrogen sulfate _____
- dd. Sodium peroxide _____
- ee. Potassium cyanide _____
- ff. Copper (II) nitrate _____
- gg. Silicon tetrafluoride _____
- hh. Lead (II) sulfide _____
- ii. Lead (IV) sulfide _____
- jj. Copper (I) chloride _____
- kk. Cadmium selenide _____

CHAPTER 3 – Stoichiometry

1. Balance the following equations:
- a. _____ CO + _____ O₂ → CO₂
- b. _____ N₂O₅ + _____ H₂O → _____ HNO₃
- c. _____ PCl₅ + _____ H₂O → _____ H₃PO₄ + _____ HCl
- d. _____ CH₄ + _____ Br₂ → _____ CBr₄ + _____ HBr
- e. _____ C₅H₁₀O₂ + _____ O₂ → _____ CO₂ + _____ H₂O

Name: _____

- f. _____ Cr(OH)_3 + _____ $\text{HClO}_4 \rightarrow$ _____ $\text{Cr(ClO}_4)_3$ + _____ H_2O
- g. _____ $\text{KNO}_3 \rightarrow$ _____ KNO_2 + _____ O_2
- h. _____ La_2O_3 + _____ $\text{H}_2\text{O} \rightarrow$ _____ La(OH)_3
- i. _____ NCl_3 + _____ $\text{H}_2\text{O} \rightarrow$ _____ NH_3 + _____ HOCl
- j. _____ Mg_3N_2 + _____ $\text{HCl} \rightarrow$ _____ MgCl_2 + _____ NH_4Cl
- k. _____ AgNO_3 + _____ $\text{K}_2\text{SO}_4 \rightarrow$ _____ Ag_2SO_4 + _____ KNO_3
- l. _____ Al(OH)_3 + _____ $\text{H}_2\text{SO}_4 \rightarrow$ _____ $\text{Al}_2(\text{SO}_4)_3$ + _____ H_2O
- m. _____ CH_3NH_2 + _____ $\text{O}_2 \rightarrow$ _____ CO_2 + _____ H_2O + _____ N_2
- n. _____ $(\text{NH}_4)_2\text{Cr}_2\text{O}_7 \rightarrow$ _____ Cr_2O_3 + _____ N_2 + _____ H_2O

2. Write balanced chemical equations to correspond to each of the following descriptions.

- a. When solid potassium chlorate is heated it decomposes to form solid potassium chloride and oxygen.
-

- b. Solid zinc metal reacts with sulfuric acid it forms hydrogen gas and an aqueous solution of zinc sulfate.
-

- c. When liquid phosphorous trichloride is added to water, it reacts to form aqueous phosphorous acid, and hydrochloric acid.
-

- d. When hydrogen sulfide gas is passed over solid hot iron (III) hydroxide, the resultant reaction produces solid iron (III) sulfide and water vapor.
-

3. The molecular formula of aspartame, the artificial sweetener marketed as Nutrasweet, is $\text{C}_{14}\text{H}_{18}\text{N}_2\text{O}_5$.

- a. What is the molar mass of aspartame?

- b. How many moles of aspartame are present in 3769.4 grams of aspartame?

Name: _____

- c. How many molecules of aspartame are present in 345.9 grams of aspartame?
- d. How many oxygen atoms are present in 23.6 grams of aspartame?

4. How many moles of ammonium ions are in 0.557 g of ammonium carbonate?

5. What is the mass, in grams, of 0.0438 moles of iron (III) phosphate?

6. What is the mass, in grams, of 2.69×10^{23} molecules of aspirin, $C_9H_8O_4$?

7. What is the molar mass of diazepam (Valium) if 0.05570 mol has a mass of 15.86 g?

8. Determine the empirical formulas of the following compounds.
 - a. 10.4%C, 27.8%S, and 61.7%Cl

Name: _____

- b. Monosodium glutamate (MSG), a flavor enhancer in certain foods, 35.51 g C, 4.77 g H, 37.85 g O, 8.29 g N, 13.60 g Na
9. Find the molecular formulas of the following compounds.
- a. 73.8% carbon, 8.7% hydrogen, 17.5% nitrogen, molar mass = 166.0 g/mol
- b. 80.0% carbon, 20.0% hydrogen, molar mass = 30.0 g/mol
10. $4\text{FeCr}_2\text{O}_7 + 8\text{K}_2\text{CO}_3 + \text{O}_2 \rightarrow 2\text{Fe}_2\text{O}_3 + 8\text{K}_2\text{CrO}_4 + 8\text{CO}_2$
- a. How many grams of FeCr_2O_7 are required to produce 44.0 g of CO_2 ?
- b. How many grams of O_2 are required to produce 100.0 g of Fe_2O_3 ?
- c. If 300.0 g of FeCr_2O_7 react, how many grams of O_2 will be consumed?
- d. How many grams of Fe_2O_3 will be produced from 300.0 g of FeCr_2O_7 ?

Name: _____

- e. How many grams of K_2CrO_4 are formed per gram of K_2CO_3 used?

11. Given the reaction: $\text{S} + \text{O}_2 \rightarrow \text{SO}_2$

- a. How many grams of sulfur must be burned to give 100.0 g of SO_2 ?

- b. How many grams of oxygen must be required for the reaction in part (a)?

12. $6 \text{NaOH} + 2\text{Al} \rightarrow 2 \text{Na}_3\text{AlO}_3 + 3\text{H}_2$

- a. How many grams of aluminum are required to produce 17.5 g of hydrogen?

- b. How many moles of Na_3AlO_3 can be formed from 90.0 g of sodium hydroxide?

- c. How many milligrams of NaOH are required to produce 3.00 moles of hydrogen?

- d. What volume of hydrogen gas can be prepared from 5.40 gram of aluminum?

